# HP Officejet Pro 8610/8620/8630 e-All-in-One



## Professional color for up to 50% lower cost per page—and 50% lower energy—than lasers

Print professional color for up to 50% lower cost per page than lasers with an e-all-in-one engineered for business printing.<sup>1</sup> Cruise through high-volume printing tasks and help keep business moving with convenient mobile printing features.<sup>3</sup>



HP Officejet Pro 8610 e-All-in-One



HP Officejet Pro 8620 e-All-in-One



HP Officejet Pro 8630 e-All-in-One

## Professional color for less than lasers<sup>1</sup>

- Look professional with every page, using Original HP pigment inks for vibrant, durable prints.<sup>7</sup>
- Set the pace for success with fast printing speeds—up to 21 ppm black-and-white and 16.5 ppm color. $^{8}$
- Attract new customers with borderless, double-sided marketing materials that help your business stand out.

### **Print on your terms**

- Print with just a touch from your NFC-enabled smartphone and tablet (for 8620/8630 only).<sup>2</sup>
- Enable secure wireless printing from your mobile device—no router or access to local network required.  $^{\scriptscriptstyle 4}$
- Easily print photos, documents, and more when you're on the go, using HP ePrint.<sup>3</sup>
- Share all your printer has to offer, office-wide, using 10/100 Ethernet connectivity—it's that simple.

### Set a new pace for productivity

- Easily manage all your tasks and access apps<sup>6</sup>—just tap and swipe the 4.3-inch touchscreen (for 8620/8630 only).
- Print two-sided pages fast—up to 10 pages per minute (ppm) black-and-white and 9 ppm color (for 8630 only).<sup>8</sup>
- Transform your workflow—quickly scan the documents you need at speeds up to 14 images per minute (for 8630 only).<sup>9</sup>
- Breeze through multipage documents with automatic two-sided scanning and 50-page auto document feeder (for 8620/8630 only).

### Save up to 50% on ink with HP Instant Ink.<sup>5</sup>

- Print high-quality documents and photos in black-and-white and color—all for the same low price.
- Choose from three monthly plans depending on how much you print—change or cancel anytime.<sup>11</sup>
- Getting started with HP Instant Ink is quick and easy learn more at hpinstantink.com
- HP high-yield ink cartridges offer an additional low-cost printing option for high-volume printing.<sup>12</sup>

<sup>1</sup> Compared with the majority of color laser AiOs <\$500 USD as of August 2013; market share as reported by IDC as of 02 2013. Cost per page (CPP) comparisons for laser supplies are based on published specifications of the manufacturers' highest capacity cartridges. CPP based on highcapacity HP ink supplies are based on published specifications of the manufacturers' highest capacity cartridges. CPP based on high-capacity ink cartridges estimated street price and page yield. ISO yield based on continuous printing in default mode. For more information, see <u>hp.com/go/</u> learnaboutsupplies.<sup>2</sup> Touch-to-print capability is standard on the HP Officejet Pro 8620 e-All-in-One and HP Officejet Pro 8630 e-All-in-One only. Mobile device must support near field communications-enabled printing. For more information, see hp.com/go/mobileprinting.<sup>3</sup> Check your compatible device's official app store for download availability. Requires an Internet connection to an HP ePrint-enabled printer. Printer requires ePrint account registration. App or software may be required. Wireless operations are compatible with 2.4 GHz operations only. Print times and connection speeds may vary. Wireless broadband use requires separately purchased service contract f-or mobile devices. Check with service provider for coverage and availability in your area. Learn more at hpconnected.com 4 Mobile device must be directly connected to the printer's wireless network prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the printer. <sup>5</sup> Savings claim is based on HP Instant Ink Service plan price for 12 months using all pages in plan without purchase of additional pages compared to the cost per page ("CPP") of the majority of color inkjet printers <\$399 USD, market share reported by IDC Q3 2013. CPP comparisons for standard capacity inkjet supplies are based on estimated street price and page yield as reported by Gap Intelligence MFP Weekly and JJP Weekly Reports Q3 2013. Actual savings may vary depending on number of pages actually printed per month and content of pages printed. <sup>6</sup> Requires a wireless access point and an Internet connection to the printer. Services may require registration at <u>hpconnected.com</u>. Availability varies by country, language, and agreements. <sup>7</sup> Fade resistance based on paper-industry predictions for acid-free papers and Original HP inks; colorant stability data at room temperature based on similar systems tested per ISO 11798 and ISO 18909. Water resistance based on HP internal testing, using pape with the ColorLok<sup>®</sup> logo. <sup>8</sup> After first set of ISO test pages. For more information, see <u>hp.com/go/printerclaims</u>. <sup>9</sup> Scan speed based on A4 or 8.5 x 11-inch, single-sided, black-and-white documents. <sup>10</sup> Based on plan usage (without excessive printing), Internet connection to a compatible HP printer, valid credit/debit card, email address, and delivery service in your geographic location. 11 Effective after the last day of your then-current billing period. For full details go to hpinstantink.com. 12 Based on Original HP 61 XL black and color ink cartridges. Not included; purchase separately. Less cost per page compared to estimated street price of standard-yield HP 61 ink cartridges.

## HP Officejet Pro 8610/8620/8630 e-All-in-One Printer

1

2

3

4

8

- 1 50-sheet ADF (HP Officejet Pro 8620 and 8630 models)
- 2 Plate glass color scanner handles up to 8.5 x 14 in (215 x 355 mm)<sup>4</sup> paper
- 3 4.3-inch (10.9 cm) touchscreen color graphic display (8620/8630 models)
- 4 Easy access USB port to print from and save scans to a flash drive
- 5 150-sheet output tray
- 6 250-sheet input tray
- 7 2nd 250-sheet paper tray<sup>3</sup>
- 8 Automatic two-sided printing
- 9 600 MHz processor, 128 MB RAM
- 10 Integrated 802.11b/g/n wireless networking
- 11 RJ-11 fax modem ports (2)
- 12 Ethernet network port for easy sharing
- 13 Hi-Speed USB 2.0 printing port
- 14 Power connection



**Front view** 



**Back view** 

## Series at a glance







Model	HP Officejet Pro 8610 e-All-in-One	HP Officejet Pro 8620 e-All-in-One	HP Officejet Pro 8630 e-All-in-One
Part number	A7F64A	A7F65A	A7F66A
Functions	Print, copy, scan, fax, web	Print, copy, scan, fax, web	Print, copy, scan, fax, web
Print speed (letter/A4) <sup>1</sup>	Up to 19 ppm black, up to 14.5 ppm color	Up to 21 ppm black, up to 16.5 ppm color	Up to 21 ppm black, up to 16.5 ppm color
Control panel	2.65-inch (6.75 cm) color touchscreen	4.3-inch (10.9 cm) color touchscreen	4.3-inch (10.9 cm) color touchscreen
Print input capacity	250	250	500 (includes 2nd 250-sheet tray)
ADF input capacity	35	50	50
Mobile printing capability	HP ePrint, Apple AirPrint™, Android OS Enablement Printing, Mopria™-certified⁴	HP ePrint, Apple AirPrint™, Android OS Enablement Printing, Mopria™-certified⁴	HP ePrint, Apple AirPrint™, Android OS Enablement Printing, Mopria™-certified⁴
Additional features	NA	Legal size glass scanning bed, NFC touch- to-print	Legal size glass scanning bed, includes spare set of color cartridges, NFC touch-to-print

<sup>1</sup>After first page; see <u>hp.com/go/inkietprinter</u> for details. Print speed may vary depending on the type of output. <sup>2</sup> Touch-to-print capability is standard on the HP Officejet Pro 8620 e-All-in-One and HP Officejet Pro 8630 e-All-in-One and HP Officejet Pro 8630 e-All-in-One only. Mobile device must support near field communications—enabled printing. For more information, see <u>hp.com/go/mobileprinting</u> <sup>3</sup> Optional in HP Officejet Pro 8630 e-All-in-One and HP Officejet Pro 8630 e-All-in-One and HP Officejet Pro 8630 e-All-in-One. <sup>4</sup> Only for HP Officejet Pro 8620 e-All-in-One and HP Officejet Pro 8630 e-All-in-One. <sup>4</sup> Local printing requires mobile device and printer to be on the same network. Wireless performance is dependent upon physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP-web-connected printer. App or software and HP ePrint registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See <u>hp.com/go/mobileprinting</u> for more details.

## **HP Services**

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

HP Care Pack Services provide comprehensive suite of protection services designed to keep HP Hardware and software up and running so employees can stay productive.

#### **Business Priority Next Day Exchange:**

Support technician will arrange the shipment of a replacement printer to customer business site to arrive the next business day. Cost of shipping included in Care Pack.

### **Business Priority Next Day Onsite**

**Exchange:** Support technician will arrange shipment of a replacement printer along with a visit from an HP Authorized Representative to install and exchange the device at customer business site.

For care pack availability visit: <u>hp.com/go/cpc</u>









monria





## **Top Features**

Showcase your business, and make a professional impression with high-quality color printing for up to 50% lower cost per page than lasers.<sup>1</sup>

Print from your smartphone, tablet, and notebook across the office or on the go.<sup>3</sup> It's simple and direct—even without a network—using wireless options or NFC touch-to-print technology.<sup>2,3,4</sup> Use Ethernet for wired connectivity.

Handle more tasks without slowing down. Be ready for bigger jobs with an additional 250-sheet tray and extra set of color cartridges (for 8630 only). Get set for business growth with an e-all-in-one designed to be easy to use for every task.

Save up to 50% on ink with optional HP Instant Ink replacement service – the low-cost way to print everything you need with confidence.<sup>5</sup> Original HP Ink is ordered by your printer and delivered to your door so you'll always have it.<sup>10</sup>

## Accessories

U6M58E

ACCESSORES		
A8Z70A	HP Officejet Pro 250-sheet Paper Tray (for 8610/8620 only)	
Supplies		
CN049AN	HP 950 Black Officejet Ink Cartridge (~1,000 pages)	
CN050AN	HP 951 Cyan Officejet Ink Cartridge (~700 pages)	
CN051AN	HP 951 Magenta Officejet Ink Cartridge (~700 pages)	
CN052AN	HP 951 Yellow Officejet Ink Cartridge (~700 pages)	
CN045AN	HP 950XL Black Officejet Ink Cartridge (~2,300 pages)	
CN046AN	HP 951XL Cyan Officejet Ink Cartridge (~1,500 pages)	
CN047AN	HP 951XL Magenta Officejet Ink Cartridge (~1,500 pages)	
CN048AN	HP 951XL Yellow Officejet Ink Cartridge (~1,500 pages)	
Services		

#### HP Officejet Pro 8610 e-All-in-One Printer

HP OMCEJET Pro	0 8610 e-All-In-One Printer
UQ206E	HP 2-Year Care Pack Business Priority Support with Next Business Day Exchange
UQ207E	HP 3-Year Care Pack Business Priority Support with Next Business Day Exchange
UQ219E	HP 4-Year Care Pack Business Priority Support with Next Business Day Exchange
U6M50E	HP 2-Year Care Pack Business Priority Support with Onsite Exchange
U6M51E	HP 3-Year Care Pack Business Priority Support with Onsite Exchange
U6M52E	HP 4-Year Care Pack Business Priority Support with Onsite Exchange
HP Officejet Pro	o 8620 e-All-in-One Printer
UQ208E	HP 2-Year Care Pack Business Priority Support with Next Business Day Exchange
UQ209E	HP 3-Year Care Pack Business Priority Support with Next Business Day Exchange
UQ210E	HP 4-Year Care Pack Business Priority Support with Next Business Day Exchange
U6M53E	HP 2-Year Care Pack Business Priority Support with Onsite Exchange
U6M54E	HP 3-Year Care Pack Business Priority Support with Onsite Exchange
U6M55E	HP 4-Year Care Pack Business Priority Support with Onsite Exchange
HP Officejet Pro	o 8630 e-All-in-One Printer
UQ211E	HP 2-Year Care Pack Business Priority Support with Next Business Day Exchange
UQ212E	HP 3-Year Care Pack Business Priority Support with Next Business Day Exchange
UQ213E	HP 4-Year Care Pack Business Priority Support with Next Business Day Exchange
U6M56E	HP 2-Year Care Pack Business Priority Support with Onsite Exchange
U6M57E	HP 3-Year Care Pack Business Priority Support with Onsite Exchange

HP 4-Year Care Pack Business Priority Support with Onsite Exchange

<sup>1</sup> Compared with the majority of color laser AiOs <\$500 USD as of August 2013; market share as reported by IDC as of Q2 2013. Cost per page (CPP) comparisons for laser supplies are based on published specifications of the manufacturers' highest capacity cartridges. CPP based on high-capacity IHP ink supplies are based on published specifications of the manufacturers' highest capacity cartridges. CPP based on high-capacity IHP ink supplies are based on published specifications of the manufacturers' highest capacity cartridges. CPP based on high-capacity INC as the page yield. SO yield based on continuous printing in default mode. For more information, see <u>hp.com/ao/learnaboutsupplies</u>.<sup>2</sup> Touch-to-print capability is standard on the HP Officejet Pro 8630 e-AlL-in-One only. Mobile device must support near field communications—enabled printing. For more information, see <u>hp.com/ao/mobileprintina</u><sup>3</sup> Check your compatible device's official app store for download availability. Requires an Internet connection to an HP ePrint-enabled printer. Printer requires ePrint account registration. App or software may be required. Wireless operations are compatible device's official app store for download device must be directly connected to the printer's wireless network prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the printers. <sup>5</sup>Savings claim is based on HP Instant Ink Service plan price for 12 months using all pages in plan without purchase of additional pages compared by IDC, Q3 2013. CPP comparisons for standard capacity inkjet supplies are based on estimated street price and page yield as reported by Gap Intelligence MFP Weekly Reports Q3 2013. Actual savings may vary depending on number of pages actually printed per month and content of pages printel. <sup>10</sup> Based on plan usage (without excessive printing), Internet connection to a compatible HP printer, valid credit/debit card, email

## HP Officejet Pro 8610/8620/8630 e-All-in-One

Technical specifications AiO functions	HP Officejet Pro 8610 e-All-in-One (A7F64A)	HP Officejet Pro 8620 e-All-in-One (A7F65A)	HP Officejet Pro 8630 e-All-in-One (A7F66A)		
		Print, copy, scan, fax, web; <b>AiO multitasking supported:</b> Yes Automatic (standard)			
Duplex print options Print speed <sup>1</sup>	ISO speed: Up to 19 ppm black, Up to 14.5 ppm color	Automatic (standard) ISO speed: Up to 21 ppm bl	ack Lin to 16 5 ppm color		
rint speeu	Maximum, letter: Up to 31 ppm black, Up to 31 ppm color	Maximum, letter: Up to 34 pp			
First page out	,	Black (ready): As fast as 12 sec; Color (ready): As fast as 13 sec			
Print resolution	Black (best): Up to 1200 x 1200 optimized dpi on plain p	paper from 600 x 600 input dpi; <b>Color (best):</b> Up to 4800 x 1200 optimized dpi o	on HP Advanced Photo Paper from 1200 x 1200 input dpi		
Print technology		HP Thermal Inkjet			
Print cartridges number		4 (1 each black, cyan, magenta, yellow)			
Mobile printing capability <sup>2</sup>		HP ePrint, Apple AirPrint™, Android OS Enablement Printing, Mopria™-certified			
Borderless printing		Yes, up to 8.5 x 11 in (210 x 297 mm)			
Standard print languages		HP PCL3 GUI, HP PCL 3 Enhanced			
Printer management	HP Web Jetadmir Embedded Web server				
Printer smart software features	Orientation: Portrait/Landscape: Print on Both Sides: None/Elip on Long Edge	/Flip on Short Edge; Pages per Sheet: 1, 2, 4, 6, 9, 16 (i.e. N-up printing); Quality	Settings: Draft/Normal/Best: Color: Black & White/Color: Printing Shortcuts		
inter share software reactives	Print in Grayscale: Off/High Quality Grayscale/Black Ink Only; Pages Per Sheet	August: Right then Down/Down then Right/Left then Down/Down then Left; Bor ght Binding; Pages to Print: Print All Pages/Print Odd Pages Only/Print Even Page	derless Printing: Off/On; HP Real Life Technologies: Off/On; Preserve Layout		
Scan type/technology		Type: Flatbed, ADF; Technology: Contact Image Sensor (CIS)			
Scan speed	Normal: Up to 5.5 ipm (200 ppi, b&w), up to 5.5 ipm (200 ppi, color)	Duplex: Up to 6 ipm (200 ppi, b	&w), up to 6 ipm (200 ppi, color)		
Scan resolution		Hardware: Up to 1200 × 1200 dpi; Optical: Up to 1200 dpi			
Scan file format	Scan File Type supported by Soft	ware: Bitmap (.bmp), JPEG (.jpg), PDF (.pdf), PNG (.png), Rich Text (.rtf), Searchab	le PDF (.pdf), Text (.txt), TIFF (.tif)		
Scan input modes		Front-panel scan, copy, fax, or from software			
Scan size maximum	Flatbed: 8.5 x 11 in; ADF: 8.5 x 14 in	Flatbed, ADF	: 8.5 x 14 in		
Twain version		Version 1.9			
Bit depth/Grayscale levels		Bit Depth: 24-bit; Grayscale: 256			
Digital sending standard features		Scan-to-e-mail; Fax Archive to E-mail			
Copy speed <sup>3</sup>	ISO speed: Up to 13 cpm black, Up to 11 cpm color	ISO speed: Up to 14 cpm b	lack, Up to 13 cpm color		
	Maximum, letter: Up to 31 cpm black, Up to 31 cpm color	Maximum, letter: Up to 34 cp			
Copy resolution	Black (text and graphics): Up to 600 dpi; Color (text and graphics): Up to 600 dpi				
Max. no. of copies	Up to 99 copies				
Copier resize		25 to 400%			
Copier settings	Copies; Two-Sided; Lighter/Darker; HP Copy Fix; ID Copy; Resize; Quality; Paper Size; Paper Type; Collate; Margin Shift; Crop; Copy Preview; Tray Select; Enhancements				
Fax speed	4 sec per page				
Fax resolution	Black(standard): 203 x 98 dpt; Black and White(fine): 203 x 196 dpi, 256 levels of gray; Black Photo Grayscale: 203 x 196 dpi, 256 levels of gray; Color (fine): 200 x 200 dpt; Color (standard): 200 x 200 dpt;				
Fax features	Auto As reduction supported: Yes; Auto-Rediance Yes; Distinctive ring detection supported: Yes; David Supporte				
rax reatures		dialing numbers: Up to 99 numbers; PC interface supported: Yes, HP Software			
Fax smart software features		to PC is available with Windows and Macintosh (Please use: <u>hp.com/support</u> to de			
	-				
Standard connectivity		USB 2.0; 1 Host USB; 1 Ethernet; 1 Wireless 802.11b/g/n; 2 RJ-11 modem port	5		
Network capabilities	Standard (built-in Ethernet, Wi-Fi 802.11b/g/n)				
Wireless capability		Yes			
Wireless capability		Yes 128 MB/600 MHz			
Wireless capability Memory/Processor speed	U	Yes	15		
Wireless capability Memory/Processor speed Duty cycle (monthly) <sup>4</sup>	-	Yes 128 MB/600 MHz Jp to 30,000 pages; <b>Recommended monthly page volume:</b> <sup>5</sup> 250 to 1,500 page			
Wireless capability Memory/Processor speed Duty cycle (monthly) <sup>4</sup>	-	Yes 128 MB/600 MHz			
Wireless capability Memory/Processor speed Duty cycle (monthly) <sup>4</sup> Paper handling	-	Yes 128 MB/600 MHz Jp to 30,000 pages; <b>Recommended monthly page volume:</b> <sup>5</sup> 250 to 1,500 page			
Wireless capability Memory/Processor speed Duty cycle (monthly) <sup>4</sup> Paper handling Input	250 Plain paper: Thick plain paper, HP Bright White Paper, HP Premium Pre HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty pa	Yes 128 MB/600 MHz Jp to 30,000 pages; <b>Recommended monthly page volume:</b> <sup>5</sup> 250 to 1,500 page 0-sheet input tray; Optional 250-sheet input tray for 8610/8620, included for 86 150-sheet output tray esentation Paper, Matte, Other Inkjet Papers, Card Stock, HP Premium Plus Photo pers, Other Greeting Cards, HP Brochure Paper 180g, Glossy, HP Brochure and F	530 Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte,		
Wireless capability Memory/Processor speed Duty cycle (monthly)* Paper handling Input Output Media type	250 Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Pre HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty pa	Ves 128 MB/600 MHz Jp to 30,000 pages; <b>Recommended monthly page volume:</b> <sup>5</sup> 250 to 1,500 page 0-sheet input tray; Optional 250-sheet input tray for 8610/8620, included for 88 150-sheet output tray esentation Paper, Matte, Other Inkjet Papers, Card Stock, HP Premium Plus Photo pers, Other Greeting Cards, HP Brochure Paper 1800, Glossy, HP Brochure and F Paper, Glossy, Other brochure papers, Plain hagaki, Inkjet hagaki, Photo hagaki	530 Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, Iyer Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure		
Wireless capability Memory/Processor speed Duty cycle (monthly)* Paper handling Input Output Media type Media weight	250 Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Pre HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty pa	Yes 128 MB/600 MHz Jp to 30,000 pages; <b>Recommended monthly page volume:</b> <sup>5</sup> 250 to 1,500 page 0-sheet input tray; Optional 250-sheet input tray for 8610/8620, included for 86 150-sheet output tray sentation Paper, Matte, Other Inkjet Papers, Card Stock, HP Premium Plus Photo upers, Other Greeting Cards, HP Brochure Paper 180g, Glossy, HP Brochure and P Paper, Glossy, Other brochure papers, Plain hagaki, Inkjet hagaki, Photo hagaki 16 to 28 lb (plain paper); 60 to 75 lb (photo); 20 to 24 lb (envelope); 90 to 110 l	530 Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, Iyer Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure		
Wireless capability Memory/Processor speed Duty cycle (monthly)* Paper handling Input Output Media type Media weight Media sizes custom	250 Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Pre HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty pa Tray 1:	Yes 128 MB/600 MHz Jp to 30,000 pages; <b>Recommended monthly page volume:</b> <sup>4</sup> 250 to 1,500 page 0-sheet input tray; Optional 250-sheet input tray for 8610/8620, included for 86 150-sheet output tray sentation Paper, Matte, Other Inkjet Papers, Card Stock, HP Premium Plus Photo ipers, Other Greeting Cards, HP Brochure Paper 180g, Glossy, HP Brochure and P Paper, Glossy, Other brochure papers, Plain hagaki, Inkjet hagaki, Photo hagaki 16 to 28 lb (plain paper); 60 to 75 lb (photo); 20 to 24 lb (envelope); 90 to 110 l <b>Tray 1:</b> 3 x 5 to 8.5 x 14 in (76.2 x 127 to 215.9 x 355.6 mm)	530 Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, Iyer Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure b (card)		
Wireless capability Memory/Processor speed Duty cycle (monthly)* Paper handling Input Output Media type Media weight Media sizes custom ADF capacity	250 Plain paper: Thick plain paper, HP Bright White Paper, HP Premium Pre HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty pa <b>Tray 1:</b> 35-sheets	Yes 128 MB/600 MHz Jp to 30,000 pages; <b>Recommended monthly page volume:</b> <sup>5</sup> 250 to 1,500 page 0-sheet input tray; Optional 250-sheet input tray for 8610/8620, included for 86 150-sheet output tray esentation Paper, Matte, Other Inkjet Papers, Card Stock, HP Premium Plus Photo pers, Other Greeting Cards, HP Brochure Paper 180g, Glossy, HP Brochure and F Paper, Glossy, Other brochure papers, Plain hagaki, Inkjet hagaki, Photo hagaki 16 to 28 lb (plain paper); 60 to 75 lb (photo); 20 to 24 lb (envelope); 90 to 110 l <b>Tray 1:</b> 3 x 5 to 8.5 x 14 in (76.2 x 127 to 215.9 x 355.6 m) 50-sl	530 Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, Iyer Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure b (card) neet		
Wireless capability Memory/Processor speed Duty cycle (monthly)* Paper handling Input Output Media type Media weight Media sizes custom ADF capacity Dimensions (W x D x H)	250 Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Pre HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty pa <b>Tray 1</b> : 35-sheets 19.7 x 18.5 x 11.8 in with duplexer installed, output tray folded up; <b>Max:</b> 19.7 x 25.5 x 11.8 in with duplexer installed, output tray folded up; to Legal	Yes 128 MB/600 MHz Jp to 30,000 pages; <b>Recommended monthly page volume:</b> <sup>5</sup> 250 to 1,500 page 0-sheet input tray; Optional 250-sheet input tray for 8610/8620, included for 86 150-sheet output tray esentation Paper, Matte, Other Inkjet Papers, Card Stock, HP Premium Plus Photo pers, Other Greeting Cards, HP Brochure Paper 180g, Glossy, HP Brochure and F Paper, Glossy, Other brochure papers, Plain hagaki, Inkjet hagaki, Photo hagaki 16 to 28 lb (plain paper); 60 to 75 lb (photo); 20 to 24 lb (envelope); 90 to 110 l <b>Tray 1:</b> 3 x 5 to 8.5 x 14 in (76.2 x 127 to 215.9 x 355.6 mm) 19.7 x 18.5 x 12.4 in with duplexer installed, output tray folded up; <b>Max:</b> 19.7 x 25.5 x 12.4 in with duplexer installed, output tray extended to Legal	530 Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, lyer Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure b (card) teet 19.7 x 18.5 x 15.7 in with duplexer and second 250-sheet paper tray installed, output tray folded up; <b>Max</b> : 19.7 x 25.5 x 15.7 in with duplexer and second 250-sheet paper tray installed, output tray folded up		
Wireless capability Memory/Processor speed Duty cycle (monthly)* Paper handling Input Output Media type Media weight Media sizes custom ADF capacity Dimensions (W x D x H)	250 Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Pre HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty pa Tray 1: 35-sheets 19.7 x 18.5 x 11.8 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray extended	Yes 128 MB/600 MHz Jp to 30,000 pages; <b>Recommended monthly page volume:</b> <sup>5</sup> 250 to 1,500 page 0-sheet input tray; Optional 250-sheet input tray for 8610/8620, included for 86 150-sheet output tray seentation Paper, Matte, Other Inkjet Papers, Card Stock, HP Premium Plus Photo ippers, Other Greeting Cards, HP Brochure Paper 180g, Glossy, HP Brochure and F Paper, Glossy, Other brochure papers, Plain hagaki, Inkjet hagaki, Photo hagaki 16 to 28 lb (plain paper); 60 to 75 lb (photo); 20 to 24 lb (envelope); 90 to 1101 <b>Tray 1:</b> 3 x 5 to 8.5 x 14 in (76.2 x 127 to 215.9 x 355.6 mm) 90-si 19.7 x 18.5 x 12.4 in with duplexer installed, output tray folded up; <b>Max:</b> 19.7 x 25.5 x 12.4 in with duplexer installed, output tray rolded up;	530 Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, Iyer Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure b (card) teet 19.7 x 18.5 x 15.7 in with duplexer and second 250-sheet paper tray installed, output tray folded up; <b>Max:</b> 19.7 x 25.5 x 15.7 in with duplexer		
Wireless capability Memory/Processor speed Duty cycle (monthly)* Paper handling Input Output Media type Media weight Media sizes custom ADF capacity Dimensions (W x D x H) Weight	250 Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Pre HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty pa Tray 1: 35-sheets 19.7 x 18.5 x 11.8 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray folded up; 19.7 k 25.5 x 11.8 in with duplexer installed, output tray extended to Legal 26.24 lb with duplexer HP Officejet Pro e-Alli-One Printer; Automatic two-sided printing acce	Yes 128 MB/600 MHz Jp to 30,000 pages; <b>Recommended monthly page volume:</b> <sup>5</sup> 250 to 1,500 page 0-sheet input tray; Optional 250-sheet input tray for 8610/8620, included for 86 150-sheet output tray esentation Paper, Matte, Other Inkjet Papers, Card Stock, HP Premium Plus Photo pers, Other Greeting Cards, HP Brochure Paper 180g, Glossy, HP Brochure and F Paper, Glossy, Other brochure papers, Plain hagaki, Inkjet hagaki, Photo hagaki 16 to 28 lb (plain paper); 60 to 75 lb (photo); 20 to 24 lb (envelope); 90 to 110 l <b>Tray 1:</b> 3 x 5 to 8.5 x 14 in (76.2 x 127 to 215.9 x 355.6 mm) 19.7 x 18.5 x 12.4 in with duplexer installed, output tray folded up; <b>Max:</b> 19.7 x 25.5 x 12.4 in with duplexer installed, output tray extended to Legal	530 Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, Iyer Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure b (card) teet 19.7 x 18.5 x 15.7 in with duplexer and second 250-sheet paper tray installed, output tray folded up; Max: 19.7 x 25.5 x 15.7 in with duplexer and second 250-sheet paper tray installed, output tray folded up 35.01 Ib with duplexer and second 250-sheet paper tray an Officejet Ink Cartridge; HP 951 Setup Magenta Officejet Ink Cartridge;		
Wireless capability Wemory/Processor speed Duty cycle (monthly)* Paper handling Input Output Media type Media sizes custom ADF capacity Dimensions (W x D x H) Weight What's in the box <sup>6</sup>	250 Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Pre HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty pa Tray 1: 35-sheets 19.7 x 18.5 x 11.8 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray stended to Legal 26.24 lb with duplexer HP Officejet Pro e-AlL-in-One Printer; Automatic two-sided printing acce HP 951 Setup Yellow Officejet Ink Cartridge: composite yield (~70	Yes 128 MB/600 MHz Jp to 30,000 pages; <b>Recommended monthly page volume:</b> <sup>5</sup> 250 to 1,500 page 0-sheet input tray; Optional 250-sheet input tray for 8610/8620, included for 86 150-sheet output tray esentation Paper, Matte, Other Inkjet Papers, Card Stock, HP Premium Plus Photo pers, Other Greeting Cards, HP Brochure Paper 180g, Glossy, HP Brochure and F Paper, Glossy, Other brochure papers, Plain hagaki, Inkjet hagaki, Photo hagaki 16 to 28 lb (plain paper); 60 to 75 lb (photo); 20 to 24 lb (envelope); 90 to 110 l <b>Tray 1:</b> 3 x 5 to 8.5 x 14 in (76.2 x 127 to 215.9 x 355.6 mm) 19.7 x 18.5 x 12.4 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 12.4 in with duplexer 28.62 lb with duplexer 28.62 lb with duplexer ssory; HP 950 Setup Black Officejet Ink Cartridge (~1,000 pages); HP 951 Setup Cy 00 pages); power cord; Phone cord; Setup poster; Getting Started Guide; CD-R0Ks	<ul> <li>Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, lyer Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure</li> <li>b (card)</li> <li>19.7 x 18.5 x 15.7 in with duplexer and second 250-sheet paper tray installed, output tray folded up; Max: 19.7 x 25.5 x 15.7 in with duplexer and second 250-sheet paper tray installed, output tray folded up 35.01 lb with duplexer and second 250-sheet paper tray</li> <li>an Officejet Ink Cartridge; HP 951 Setup Magenta Officejet Ink Cartridge; for software, Windows and Mac printer drivers, and User's Guide).</li> </ul>		
Wireless capability Memory/Processor speed Duty cycle (monthly)* Paper handling Input Output Media type Media sizes custom ADF capacity Dimensions (W x D x H) Weight What's in the box* Warranty features	250 Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Pre HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty pa Tray 1: 35-sheets 19.7 x 18.5 x 11.8 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray folded up; 26.2 4 lb with duplexer HP Officejet Pro e-AlL-in-One Printer; Automatic two-sided printing acce HP 951 Setup Vellow Officejet Ink Cartridge: composite yield (~70 One-year limited hardwa	Yes 128 MB/600 MHz Jp to 30,000 pages; <b>Recommended monthly page volume:</b> <sup>5</sup> 250 to 1,500 page 0-sheet input tray; Optional 250-sheet input tray for 8610/8620, included for 80 150-sheet output tray resentation Paper, Matte, Other Inkjet Papers, Card Stock, HP Premium Plus Photo paper, Glossy, Other Inkjet Papers, Plain hagaki, Inkjet hagaki, Photo hagaki 16 to 28 lb (plain paper); 60 to 75 lb (photo); 20 to 24 lb (envelope); 90 to 1101 <b>Tray 1:</b> 3 × 5 to 8.5 × 14 in (76.2 × 127 to 215.9 × 355.6 mm) 90sh 19.7 × 18.5 × 12.4 in with duplexer installed, output tray extended to Legal 28.62 lb with duplexer 28.62 lb with duplexer 90 pages); power cord; Phone cord; Setup poster; Getting Started Guide; CD-R0Ms 00 JPro 8630: Plus 250-sheet input tray, and second set of color rink cartridges	S30 Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, Iyer Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure b (card) 19.7 x 18.5 x 15.7 in with duplexer and second 250-sheet paper tray installed, output tray folded up; Max: 19.7 x 25.5 x 15.7 in with duplexer and second 250-sheet paper tray installed, output tray folded up 35.01 b with duplexer and second 250-sheet paper tray an Officejet Ink Cartridge; HP 951 Setup Magenta Officejet Ink Cartridge; for software, Windows and Mac printer drivers, and User's Guide). t within warranty period		
Wireless capability Memory/Processor speed Duty cycle (monthly)* Paper handling Input Output Media type Media weight Media sizes custom	250 Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Pre HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty pa Tray 1: 35-sheets 19.7 x 18.5 x 11.8 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray folded up; Mox 26.24 lb with duplexer installed, output tray folded up; HP Officejet Pro e-AlL-in-One Printer, Automatic two-sided printing acce- HP 951 Setup Yellow Officejet Ink Cartridge: composite yield (~70 One-year limited hardwa Windows 8.1 (32-bit and 64-bit), Windows 8, Windows 7, Windows 7, Windows 7, Windows 7, Stere, 72, 24-bit and 64-bit), Windows 8, 132-bit and 64-bit), Windows 8, 132-bit and 64-bit), Windows 2003 Server Terminal Services With Cirk Metz HP officejet Print driver only: Novell Terminal Services With Cirk Metz	Yes 128 MB/600 MHz Jp to 30,000 pages; <b>Recommended monthly page volume:</b> <sup>5</sup> 250 to 1,500 page 0-sheet input tray; Optional 250-sheet input tray for 8610/8620, included for 80 150-sheet output tray resentation Paper, Matte, Other Inkjet Papers, Card Stock, HP Premium Plus Photo paper, Glossy, Other Jorochure papers, Plain hagaki, Inkjet hagaki, Photo hagaki 16 to 28 lb (plain paper), 60 to 75 lb (photo), 20 to 24 lb (envelope); 90 to 1101 <b>Tray 1:</b> 3 x 5 to 8.5 x 14 in (76.2 x 127 to 215.9 x 355.6 mm) 9.7 x 18.5 x 12.4 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 12.4 in with duplexer installed, output tray folded up; 9.6 Setup Black Officejet Ink Cartridge (-1,000 pages); Phy 51 Setup (C) 0.0 pages); power cord: Phone occif. Setup poster, Getting Stared Guide; CO-ROMs: 0.0 Pro 6630: Plus 250-sheet input tray, and second set of color ink cartridges are waranty; 24-hour, 7 days a week Web support; Dusiness hour phone suppon Windows XP (SP3) <sup>14</sup> or higher (2a-bit only) <sup>15</sup> Visuports 32-bit only; Mac OS X v 10, see <u>hplipopensource.com/hplip-web/index.html</u> ) 7(32-bit and 64-bit), Windows Vista (32-bit and 54-2) <sup>15</sup> Clandord Edition, Enterprise Edit Netware 6, 65, Open Enterprise isset all only), Windows 2003 Server (32-bit and S2006 Server (2a-bit and 64-bit), SP1 and SP2) (Standord Edition, Enterprise Edit Netware 6, 65, Open Enterprise Server 5, Novell SP2) (Standord Edition, Enterprise Edit Netware 6, 65, Open Enterprise Server 5, Novell SP2) (Standord Edition, Enterprise Edit Netware 6, 65, Open Enterprise Server 5, Novell SP2) (Standord Edition, Enterprise Edit Netware 6, 65, Open Enterprise Server 5, Novell SP2) (Standord Edition, Enterprise Edit Netware 6, 65, Open Enterprise Server 5, Novell Server Terminal Services with O	<ul> <li>Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, Iyer Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure b (card)</li> <li>teet 19.7 x 18.5 x 15.7 in with duplexer and second 250-sheet paper tray installed, output tray folded up, Max: 19.7 x 25.5 x 15.7 in with duplexer and second 250-sheet paper tray installed, output tray folded up, Max: 19.7 x 25.5 x 15.7 in with duplexer and second 250-sheet paper tray and Officejet Ink Cartridge; HP 951 Setup Magenta Officejet Ink Cartridge; for software, Windows and Mac printer drivers, and User's Guide). t within warranty period 6, v 10.7, v 10.8 or v 10.9; Linux (For more information, essional and Home Editions); Mac OS X v 10.6, v 10.7, v 10.8 or v 10.9; Linux d 64-bit, S1 and SP21 (Standard Edition, Enterprise Edition), Windows 2003 Server R2 (64-bit) (Standard Edition, Enterprise Edition), Xen Server 5.5, Ken Desktop 5.5, Cluster Support, Windows 203 Server Revinal Service swith Windows 203 Server Terrinal Service Swith Windows 203 Server Terrinal Services W</li></ul>		
Wireless capability Memory/Processor speed Duty cycle (monthly)* Paper handling Input Output Media type Media type Media sizes custom ADF capacity Dimensions (W x D x H) Weight What's in the box* Warranty features Compatible operating systems Systems	250 Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Pre HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty pa Tray 1: 35-sheets 19.7 x 18.5 x 11.8 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray extended to Legal 26.24 lb with duplexer HP Officejet Pro e-AlL-in-One Printer; Automatic two-sided printing acce HP 951 Setup Yellow Officejet Ink Cartridge: composite yield (~70 One-year limited hardwa Windows 8.1, Windows 8, Windows 7, Windows Vista, V Windows 8.1, 132-bit and 64-bit), Windows 8 (32-bit and 64-bit), Windows 7 (For more information, see <u>hplipopensource com/hplip-web/index.html</u> ). Op Server 8, 22-bit and 64-bit), Windows 8 (32-bit and 64-bit), Windows 7 (For more information, see <u>hplipopensource com/hplip-web/index.html</u> ). Op Server 201.0perating System Support (Print driver only): Novell Terminal Services, Windows 2003 Server Terminal Services with Citrix Met Citrix Presentation 44. PC; Windows 7, 8, 8.1:1 GHz 32-bit (x66) or 64-bit (x64) processor; 26 are space, Internet Explore; CD-ROM/DVD or Internet, USB; Windows XP S93 (3) Mac; Mac OS X v 10.6, OS X v 10.6, OS X v 10.7, Lon.	Yes 128 MB/600 MHz Jp to 30,000 pages; <b>Recommended monthly page volume:*</b> 250 to 1,500 page 0-sheet input tray; Optional 250-sheet input tray for 8610/8620, included for 86 150-sheet output tray sentation Paper, Matte, Other Inkjet Papers, Card Stock, HP Premium Plus Photo pers, Other Greeting Cards, HP Brochure Paper 180g, Glossy, HP Brochure and F Paper, Glossy, Other brochure papers, Plain hagaki, Inkjet hagaki, Photo hagaki 16 to 28 lb (dnia) naper); 60 to 75 lb (photo); 20 to 24 lb (envelope); 90 to 1101 <b>Tray 1:</b> 3 x 5 to 8.5 x 14 in (76.2 x 127 to 215.9 x 355.6 mm) 9.7 x 18.5 x 12.4 in with duplexer installed, output tray folded up; <b>Max:</b> 19.7 x 25.5 x 12.4 in with duplexer installed, output tray folded up; <b>Max:</b> 19.7 x 25.5 x 12.4 in with duplexer installed, output tray folded up; <b>Max:</b> 19.7 x 25.5 x 12.4 in with duplexer installed, output tray folded up; <b>Max:</b> 19.7 x 18.5 x 12.4 in with duplexer installed, output tray folded up; <b>Max:</b> 19.7 x 18.5 x 12.4 in with duplexer installed, output tray extended to Legal <b>DPro 683</b> ; power cord; Phone cord; Setup poster; Getting Started Guide; CD-ROMs <b>DPro 863</b> ; Plus 250-sheet input tray, and second set of color ink cartridges are warranty; 24-hour, 7 days a week Web support; business hour phone suppor Windows XP (SP3)* or higher (32-bit and 64-bit), Windows XP (32-bit) (Profi reating System Support (Enterprise Server G.S., Novell Pinint, Citrix, Citrix XenAps 6.0 aframe XP with Feature Release 3, Windows 2003 Server (32-bita and 46-4-bit), Windows Vista (32-bit and 5P2) (Standard Edition, Enterprise Editi Netware 6, 6, 50, pen Enterprise Server C.S., Novell Pinint, Citrix, Citrix XenAps 6.0 aframe XP with Feature Release 3, Windows 2003 Servers (32-bita) Services with Constrained Services, Windows 2008 Terminal Services withol (SX v 10.8 Mauntain Lion, O, X v 10.9 Mavericks: 1 GB available hard disk space, Internet Explorer, CD-ROM/DVD or Internet, USB; Windows V 2-bit only). Intel <sup>®</sup> Penting <sup>®</sup> res 23 MHz compatible processor,	<ul> <li>Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, lyer Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure</li> <li>b (card)</li> <li>19.7 x 18.5 x 15.7 in with duplexer and second 250-sheet paper tray installed, output tray folded up; Max: 19.7 x 25.5 x 15.7 in with duplexer and second 250-sheet paper tray installed, output tray folded up; Max: 19.7 x 25.5 x 15.7 in with duplexer and second 250-sheet paper tray installed, output tray folded up; Max: 19.7 x 25.5 x 15.7 in with duplexer and second 250-sheet paper tray installed, output tray folded up; Max: 19.7 x 25.5 x 15.7 in with duplexer and second 250-sheet paper tray installed, output tray folded up 35.01 b with duplexer and second 250-sheet paper tray an Officejet Ink Cartridge; HP 951 Setup Magenta Officejet Ink Cartridge; for software, Windows and Mac printer drivers, and User's Guide).</li> <li>t within warranty period</li> <li>6, v 10.7, v 10.8 or v 10.9; Linux (For more information,</li> <li>essional and Home Editions); Mac 05 X v 10.6, v 10.7, v 10.8 or v 10.9; Linux d 64-bit, S140-dard Edition, Enterprise Edition), 0, Windows 2003 Server 26(40-bit) (Standard Edition, Enterprise Edition), 0, Xen Server 5.6, Xen Desktop 5.5, Cluster Support, Windows 2003 Server 1: Trix Presous 2003 Server 2004 Server 2005 Server 20</li></ul>		
Wireless capability Memory/Processor speed Duty cycle (monthly)* Paper handling Input Output Media type Media type Media sizes custom ADF capacity Dimensions (W x D x H) Weight What's in the box* Warranty features Compatible operating systems Compatible network operating systems Minimum system requirements	250 Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Pre HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty pa Tray 1: 35-sheets 19.7 x 18.5 x 11.8 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray extended to Legal 26.24 lb with duplexer installed, output tray folded up; HP Officejet Pro e-AlL-in-One Printer; Automatic two-sided printing acce- HP 951 Setup Vellow Officejet Ink Cartridge: composite yield (~70 0 0.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 1	Yes 128 MB/600 MHz 128 MB/600 MHz Up to 30,000 pages; Recommended monthly page volume:* 250 to 1,500 page 0-sheet input tray; Optional 250-sheet input tray for 8610/8620, included for 86 150-sheet output tray sentation Paper, Matte, Other Inkjet Papers, Card Stock, HP Premium Plus Photo pages, Other forecting Cards, HP Brochure Paper 180g, Glossy, HP Brochure and F Paper, Glossy, Other brochure papers, Plain hagaki, Inkjet hagaki, Photo hagaki 16 to 28 lb (plain paper); 60 to 75 lb (photo); 20 to 24 lb (envelope); 90 to 110 Tray 1: 3 x 5 to 8.5 x 14 in (76.2 x 127 to 215.9 x 355.6 mm) 9.7 x 18.5 x 12.4 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 12.4 in with duplexer installed, output tray folded up; 19.7 x 18.5 x 12.4 in with duplexer installed, output tray extended to Legal 28.62 lb with duplexer ssony; HP 950 Setup Black Officejet Ink Cartridge (~1,000 pages); HP 951 Setup Cy 00 pages); power cord; Phone cord; Setup poster; Getting Started Guide; CD-ROMs 0 JP o 8630; Plus 250-sheet input tray, and second set of color ink cartridge rearmany; 24-hour, 7 days a week Web support; business hour phone suppor Windows XP (SP3)* or higher (32-bit and 64-bit), Windows XD (32-bit and 54-bit), Windows V3 (32-bit and 64-bit), Windows XD (32-bit and 54-bit), Windows XD (32-bit) (Profile-web/Index.html) 7 (32-bit and 64-bit), SP1 and SP2) (Standard Edition, Enterprise Editor, S, Wordli Print, (Tirx), Cirix XenApps 6, Garame XP with Feature Release 3, Windows 2003 Server Taminal Services, Windows Server 2008 Terminal Services, Windows	<ul> <li>Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, Iyer Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure</li> <li>to card)</li> <li>teet</li> <li>19.7 x 18.5 x 15.7 in with duplexer and second 250-sheet paper tray installed, output tray folded up; Max: 19.7 x 25.5 x 15.7 in with duplexer and second 250-sheet paper tray installed, output tray folded up; Max: 19.7 x 25.5 x 15.7 in with duplexer and second 250-sheet paper tray and Officiejet Ink Cartridge; HP 951 Setup Magenta Officejet Ink Cartridge; Br 951 Setup Magenta Officejet Ink Cartridge; Gr software, Windows and Mac printer drivers, and User's Guide).</li> <li>t within warranty period</li> <li>6, v 10.7, v 10.8 or v 10.9; Linux (For more information,</li> <li>essional and Home Editions); Mac OS X v 10.6, v 10.7, v 10.8 or v 10.9; Linux 6 G-4-bit, SP1 and SP2! (Standard Edition, Enterprise Edition), Windows 2003 Server 11x Presentation Server 40, Windows 2003 Server Terrimal Services with vailable hard disk space, Internet Explorer 6, CD-ROM/DVD or Internet, USB internet connection; CD-ROM drive; USB amge: Ub to 3006; RH (on-condensing) at temperature of 60° C (140° F);</li> </ul>		
Wireless capability Wemory/Processor speed Duty cycle (monthly)* Paper handlig Input Output Media type Media type Media sizes custom ADF capacity Dimensions (W x D x H) Weight What's in the box* Warranty features Compatible operating systems Compatible network operating systems Minimum system requirements Environmental ranges	250 Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Pre HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty pa Tray 1: 35-sheets 19.7 x 18.5 x 11.8 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray extended to Legal 26.24 lb with duplexer installed, output tray folded up; HP Officejet Pro e-AlL-in-One Printer; Automatic two-sided printing acce- HP 951 Setup Vellow Officejet Ink Cartridge: composite yield (~70 0 0.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 1	Yes 128 MB/600 MHz Jp to 30,000 pages; <b>Recommended monthly page volume:</b> <sup>4</sup> 250 to 1,500 page 0-sheet input tray; Optional 250-sheet input tray for 8610/8620, included for 86 150-sheet output tray resentation Paper, Matte, Other Inkjet Papers, Card Stock, HP Premium Plus Photo paper, Other Greeting Cards, HP Brochure Paper 180g, Glossy, HP Brochure and P Paper, Glossy, Other brochure papers, Plain hagaki, Inkjet hagaki, Photo hagaki 16 to 28 lb (plain paper); 60 to 75 lb (photo); 20 to 24 lb (envelope); 90 to 1101 <b>Tray 1:</b> 3 x 5 to 8.5 x 14 in (76.2 x 127 to 215.9 x 355.6 mm) 50-sf 19.7 x 18.5 x 12.4 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 12.4 in with duplexer installed, output tray folded up; 01 Pro 8630; Plus 250-sheet input tray, and second set of color nik cartridges are waranty; 24-hour, 7 days a week Web support; Dusiness hour phone suppor Windows XP (SP3)* or higher (32-bit only): "Supports 32-bit only; Mac OS x v 10. secons; Plus 250-sheet input tray, and second set of color nik, cartridges are waranty; 24-hour, 7 days a week Web Support; Dusiness hour phone suppor Windows XP (SP3)* or higher (32-bit only): "Supports 32-bit only; Mac OS x v 10. secons; Plus 250-sheet input tray, and second set of color nik, cartridges are waranty; 24-hour, 7 days a week Web Support; Dusiness hour phones suppor Windows XP (SP3)* or higher (32-bit and 64-bit), Windows XP (32-bit) (Prof are 100; System Super (22-bit and 64-bit), Supports 32-bit only; Mac OS x v 10. set philopopensource.com/hplin-web/index.html) 7 (32-bit and 64-bit), Windows Vista (32-bit and 64-bit), Windows XP (32-bit) (Prof farme XP with Feature Release 3, Windows 2003 Server (32-bit and 5, Windows Server 2008 Terminal Services, Windows Server 2008 Terminal Services with 0 5, Windows Server 2008 Terminal Services, Vishow Server 2008 Terminal	<ul> <li>Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, Iyer Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure</li> <li>to card)</li> <li>teet</li> <li>19.7 x 18.5 x 15.7 in with duplexer and second 250-sheet paper tray installed, output tray folded up; Max: 19.7 x 25.5 x 15.7 in with duplexer and second 250-sheet paper tray installed, output tray folded up; Max: 19.7 x 25.5 x 15.7 in with duplexer and second 250-sheet paper tray ano Officejet Ink Cartridge; HP 951 Setup Magenta Officejet Ink Cartridge; for software, Windows and Mac printer drivers, and User's Guide).</li> <li>t within warranty period</li> <li>6, v 10.7, v 10.8 or v 10.9; Linux (For more information, Vindows 2003 Server 120, Vindows 2003 Server 120, Vindows 2003 Server Terminal Services with vailable hard disk space, Internet Explorer 6, CD-ROM/DVD or Internet, USB nates 100 MP 2.2 https://sanadref.com/cD-ROM/DVD or Internet, USB nates 10, CD-ROM drive; USB ange: Ub 10 50% RH (on-Comdonsing) at a temperature of 60° C (140° F);</li> </ul>		
Wireless capability Wemory/Processor speed Duty cycle (monthly)* Paper handling Input Output Media type Media type Media sizes custom ADE capacity Dimensions (W x D x H) Weight What's in the box* Warranty features Compatible network operating systems Minimum system requirements Environmental ranges Energy efficiency compliance	250 Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Pre HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty pa 35-sheets 19.7 x 18.5 x 11.8 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray folded up; 26.24 lb with duplexer HP Officejet Pro e-AlL-in-One Printer; Automatic two-sided printing acce HP 951 Setup Yellow Officejet Ink Cartridge: composite yield (~70 One-year limited hardwa Windows 8.1 (32-bit and 64-bit), Windows 8 (32-bit and 64-bit), Windows 7, Windows Vista, V Windows Server 201. Operating System Support (Print driver only): Novell Terminal Services, Windows 2003 Server Terminal Services with Cirk Meta Cirk'r Presentation 44 PC Windows 7, 88.1:1 GHz 32-bit (x66) or 64-bit (x64) processor; 2 GB ava space, Internet Explore; CD-ROM/DVD or Internet, USB; Windows XP 929 (3; Mac: Mac OS X v 10.6, OS X v 10.7, L0.0, Operating temperature range: 41 to 104° F (5 to 40° C); Recommender Operating humidity range: 20 to 80% F	Yes 128 MB/600 MHz Jp to 30,000 pages; <b>Recommended monthly page volume:</b> <sup>4</sup> 250 to 1,500 page 0-sheet input tray; Optional 250-sheet input tray for 8610/8620, included for 86 150-sheet output tray sentation Paper, Matte, Other Inkjet Papers, Card Stock, HP Premium Plus Photo paper, Glossy, Other brochure papers, Plain hagaki, Inkjet hagaki, Photo hagaki 16 to 28 lb (dain paper); 60 to 75 lb (photo); 20 to 24 lb (envelope); 90 to 1101 <b>Tray 1:</b> 3 x 5 to 8.5 x 14 in (76.2 x 127 to 215.9 x 355.6 mm) 19.7 x 18.5 x 12.4 in with duplexer installed, output tray folded up; <b>Max:</b> 19.7 x 25.5 x 12.4 in with duplexer installed, output tray folded up; <b>Max:</b> 19.7 x 25.5 x 12.4 in with duplexer installed, output tray folded up; 01 pro 8630; Plus 250-sheet input tray, and second set of color ink cartridge are warranty; 24-hour, 7 days a week Web support; business hour phone suppor Windows XP (SP3)* or higher (32-bit only): "Supports 32-bit only; Mac OS X v 10. see habliopapers, 60th; S1 and 64-bit), Windows XP (32-bit) (Profi reating System Support (Enterprise Install and -bit), Windows XP (32-bit) (Profi reating System Support (Enterprise Install only). Windows XP (32-bit) (Profi reating System Zong): Interprise Server 6.5, Novell iPrint, Citrix, Citrix XenApps 6. aframe XP with Feature Release 3, Windows 2003 Server (32-bit and 10 Netware 6, 6.5, Open Enterprise Server 6.5, Novell iPrint, Citrix, Citrix XenApps 6. aframe XP with Feature Release 3, Windows 2003 Server (32-bit and 10 Netware 6, 6.5, Open Enterprise Server 6.5, Novell iPrint, Citrix, Citrix XenApps 6. aframe XP with Feature Release 3, Windows 2003 Server (32-bit and 11 Netware 6, 6.5, Open Enterprise Server 6.5, Novell iPrint, Citrix, Citrix XenApps 6. aframe XP with Feature Release 3, Windows 2003 Server (32-bit and 10 Netware 7.008 Terminal Services with 0. 11 Netware 6, 6.5, Open Enterprise Server 6.5, Novell iPrint, Citrix, Citrix XenApps 6. aframe XP with Feature Release 3, Windows 2003 Server (32-bit and 11 Netware 6, 6.5,	<ul> <li>bis of the state of th</li></ul>		
Wireless capability Wemory/Processor speed Duty cycle (monthly)* Paper handling Input Output Media type Media type Media sizes custom ADF capacity Dimensions (W x D x H) Weight What's in the box* Warranty features Compatible network operating systems Minimum system requirements Environmental ranges Energy efficiency compliance	250 Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Pre HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty pa Tray 1: 35-sheets 19.7 x 18.5 x 11.8 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray stended to Legal 26.24 lb with duplexer installed, output tray folded up; HP Officejet Pro e-AlL-in-One Printer; Automatic two-sided printing acce HP 951 Setup Vellow Officejet Ink Cartridge: composite yield (~70 0 0.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.000, 10.	Yes 128 MB/600 MHz 128 MB/600 MHz Up to 30,000 pages; Recommended monthly page volume: <sup>5</sup> 250 to 1,500 page 0-sheet input tray; Optional 250-sheet input tray for 8610/8620, included for 86 150-sheet output tray sentation Paper, Matte, Other Inkjet Papers, Card Stock, HP Premium Plus Photo pages, Other Greeting Cards, HP Brochure Paper 180g, Glossy, HP Brochure and F Paper, Glossy, Other brochure papers, Plain hagaki, Inkjet hagaki, Photo hagaki 16 to 28 lb (plain paper); 60 to 75 lb (photo); 20 to 24 lb (envelope); 90 to 110 Tray 1: 3 x 5 to 8.5 x 14 in (76.2 x 127 to 215.9 x 355.6 mm) 9.7 x 18.5 x 12.4 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 12.4 in with duplexer installed, output tray folded up; 19.7 x 18.5 x 12.4 in with duplexer installed, output tray folded up; 00 pages); power cord; Phone cord; Setup poster; Getting Started Guide; CD-ROMs 00 Pro 6630; Plus 250-sheet input tray, and second set of color ink cartridge rearmany; 24-hour, 7 days a week Web support; business hour phone suppor Windows XP (SP3)* or higher (32-bit and 64-bit), Windows XD (32-bit) (Prof x 23-bit and 64-bit), SP1 and SP2) (Standard Edition, Enterprise Edit x 2008 Server 120-bit and 64-bit), Windows XD (32-bit) (Prof x 24-bit and 64-bit), SP1 and SP2) (Standard Edition, Enterprise Edit x 2008 Server 2008 Terminal Services, Windows XD (32-bit and x 2008 Server 2008 Terminal Services, Windows SC03 Server 132-bit and x 2008 Server 2008 Terminal Services, Windows SC03 Server 32-bit and x 2008 Server 2008 Terminal Services, Windows SC03 Server 32-bit and x 2008 Mountain Lion, OS X v 10.9 Mavericks: 1 GB available hard disk space, Intermet Explore; C -ROM/DVD or Internet, USB; Windows Z 4, Storage Temperature: Sp to 90° F (15 to 32° C); Non-operating humidity rr 34; Storage Temperature Range: -40 to 60° C (-40 to 140° F); Recommended o ENERGY STAR® qualified	<ul> <li>530</li> <li>Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, Iyer Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure Days, Tay, Tay, S.S. N.S. Zin with duplexer and second 250-sheet paper tray installed, output tray folded up; Max: 19.7 x 25.5 x 15.7 in with duplexer and second 250-sheet paper tray and Officejet Ink Cartridge; HP 951 Setup Magenta Officejet Ink Cartridge; for software, Windows and Mac printer drivers, and User's Guide).</li> <li>t within warranty period</li> <li>6, v 10.7, v 10.8 or v 10.9; Linux (For more information,</li> <li>essional and Home Editions); Mac OS X v 10.6, v 10.7, v 10.8 or v 10.9; Linux d 64-bit, SP1 and SP2) (Standard Edition, Enterprise Edition), Windows 2003 Server Titrk Presentation Server A0, Windows 2003 Server Terry and Services with Citrix XenApp Dista Standard Editor, Cherey Server Terry and Services with Service A0, Windows 2003 Server Terry and Services with Service A0, Windows 2003 Server Terry and Service Standard Edition, Enterprise Edition), Nachard Service A0, Windows 2003 Server Terry ADS Server T</li></ul>		
Wireless capability Wemory/Processor speed Duty cycle (monthly)* Paper handling Input Output Media type Media type Media sizes custom ADF capacity Dimensions (W x D x H) Weight What's in the box* Warranty features Compatible network operating systems Minimum system requirements Environmental ranges Energy efficiency compliance Acoustic	250 Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Pre HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty pa 35-sheets 19.7 x 18.5 x 11.8 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray solided up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray solided up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray solided up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray extended to Legal 26.24 lb with duplexer HP Officejet Pro e-AlL-in-One Printer, Automatic two-sided printing acce HP 951 Setup Yellow Officejet Ink Cartridge: composite yield (~70 One-year limited hardwa Windows 8.1, Windows 8, Windows 7, Windows Vista, V Windows 8.1 (32-bit and 64-bit), Windows 8 (32-bit and 64-bit), Windows Vista, V Windows 5.1 (32-bit and 64-bit) (Slandard Edition, Enterprise Editon), Window Windows 5.8 ver 201. Operating System Support (Print driver only): Novell Terminal Services, Windows 2003 Server Terminal Services with Citrix Met Citrix Presentation 4.1 PC: Windows 7, 8, 8.1:1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB ava space, Internet Explorer, CO-RM/DVD or Internet, USS, Windows XP 593 2, CB ava space, Internet Explorer, CO-RM/DVD or Internet, USS, Windows XP 293 2, CB ava space, Internet Explorer, CO-RM/DVD or Internet, USS, Windows XP 293 2, CB ava space, Internet Explorer, CD-RM/DVD or Internet, USS, Windows XP 293 2, CB ava space, Internet Explorer, CD-RM/DVD or Internet, USS, Windows XP 293 2, CB ava space, Internet Explorer, CD-RM/DVD or Internet, USS, Windows XP 293 2, CB ava space, Internet Explorer, CD-RM/DVD or Internet, USS, Windows XP 293 2, CB ava space, Internet Explorer, CD-RM/DVD or Internet, USS, Windows XP 293 2, CB ava space, Internet Explorer, CD-RM/DVD or Internet, USS, Windows XP 293 2, CB ava space, Internet Explorer, CD-RM/DVD or Internet,	Yes 128 MB/600 MHz Jp to 30,000 pages; <b>Recommended monthly page volume:</b> <sup>4</sup> 250 to 1,500 page 0-sheet input tray; Optional 250-sheet input tray for 8610/8620, included for 86 150-sheet output tray sentation Paper, Matte, Other Inkjet Papers, Card Stock, HP Premium Plus Photo paper, Other Greeting Cards, HP Brochure Paper 1800, Glossy, HP Brochure and P Paper, Glossy, Other brochure papers, Plain hagaki, Inkjet hagaki, Photo hagaki 16 to 28 lb (plain paper); 60 to 75 lb (photo); 20 to 24 lb (envelope); 90 to 1101 <b>Tray 1:</b> 3 x 5 to 8.5 x 14 in (76.2 x 127 to 215.9 x 355.6 mm) 50-sf 19.7 x 18.5 x 12.4 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 12.4 in with duplexer installed, output tray folded up; 01 Pro 8630; Plus 250-sheet input tray, and second set of color nik cartridges are warranty; 24-hour, 7 days a week Web support; business hour phone suppor Windows XP (SP3)* or higher (32-bit only): "Supports 32-bit only; Mac OS x v 10. se to 203 Server (32-bit and 64-bit), Windows Vista (32-bit and 64-bit), Windows XP (32-bit) and 64-bit), Windows Vista (32-bit and 64-bit), Windows XP (32-bit) and server 6.5, Novell Firint, Citrix, Citrix XenApps 6. 5, Open Enterprise Server 6.5, Novell Firint, Citrix, Citrix XenApps 6. 5, Windows Server 2008 Terminal Services, Windows Server 2008 Terminal Services with 0 5, Windows Server 2008 Terminal Services, Windows Server 2008 Terminal Services with 5, Windows Server 2008 Terminal Services, Windows Server 2008 Terminal Services with 5, Windows Server 2008 Terminal Services, Windows Server 2008 Terminal Services with 5, Windows Server 2008 Terminal Services, Windows Server 2008 Terminal Services with 5, Windows Server 2008 Terminal Services, Windows Server 2008 Terminal Services with 6, Si v10.8 Mountain Lion, OS X v 10.9 Mavericks: 1 GB available hard disk space; 1 d operating temperature: 59 to 90° F (15 to 32° C); Non-operating Mamidity or 4, Storage Temperature: Server 2008 V 10° Terminal Services 2008 Terminal Services 20	<ul> <li>530</li> <li>Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, Iyer Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure b (card)</li> <li>19.7 x 18.5 x 15.7 in with duplexer and second 250-sheet paper tray installed, output tray folded up; Max: 19.7 x 25.5 x 15.7 in with duplexer and second 250-sheet paper tray installed, output tray folded up; Max: 19.7 x 25.5 x 15.7 in with duplexer and second 250-sheet paper tray and Scole; but the duplexer and second 250-sheet paper tray and Officejet Ink Cartridge; HP 951 Setup Magenta Officejet Ink Cartridge; HP 951 Setup Magenta Officejet Ink Cartridge; Gr software, Windows and Mac printer drivers, and User's Guide).</li> <li>t within warranty period</li> <li>6, v 10.7, v 10.8 or v 10.9; Linux (For more information,</li> <li>essionali and Home Editions); Mac 05 X v 10.6, v 10.7, v 10.8 or v 10.9; Linux d 64-bit; Standard Edition, Enterprise Edition), Windows 2003 Server 82 (64-bit) Standard Edition, Enterprise Edition), Xen Server 5.6, Xen Desktop 5.5, Cluster Support, Windows 2003 Server Rith: Presentation Server 4.0, Windows 2003 Server Rever Terminal Services with eswith Citrix XenApp</li> <li>Ista: 800 MHz 32-bit (k66) or 64-bit (k54) processor, 2 GB available hard disk space, Internet Explorer 6, CD-R0M/DVD or Internet, USB; merration and Humel Humel and the site sport 10.9 and the perature of 60° C (140° F); peratriding Mumildly enange: 2 to 75% RH</li> <li>6.9 B(A) (printing at 22 ppm)</li> <li>d B(A) (drigt frinting at 22 ppm)</li> </ul>		
Wireless capability Wemory/Processor speed Duty cycle (monthly)* Paper handling Input Output Media type Media type Media sizes custom ADF capacity Dimensions (W x D x H) Weight What's in the box* Warranty features Compatible network operating systems Minimum system requirements Environmental ranges Energy efficiency compliance Acoustic	250 Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Pre HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty pa Tray 1: 35-sheets 19.7 x 18.5 x 11.8 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray extended to Legal 26.24 lb with duplexer HP Officejet Pro e-AlL-in-One Printer; Automatic two-sided printing acce HP 951 Setup Yellow Officejet Ink Cartridge: composite yield (~70 One-year limited hardwa Windows 8.1, Windows 8, Windows 7, Windows Vista, V Windows 8.1, 32-bit and 64-bit), Windows 8 (32-bit and 64-bit), Windows 7 (For more information, see <u>hplipopensource com/hplip-web/index.html</u> ). Op Server 8, 20:2-bit and 64-bit), Windows 8 (32-bit and 64-bit), Windows 7 (For More information, see <u>hplipopensource com/hplip-web/index.html</u> ). Op Server 8, 20:2-bit and 54-bit), Standard Editon, Hurdrows Editon, Windows 52 (Britr Mets, Server 201). Operating System Support (Print driver only): Novell Terminal Services, Windows 2003 Server Terminal Services with Citrix Mets (Dirk Mets, Cartody Com/DVD or Internet, USB, Windows XP 593 (3) Mac. Mac OS X v 10.6, OS X v 10.7, Lon, Operating temperature range: 41 to 104° F (5 to 40° C), Recommended Operating humidity range: 20 to 80% F Acoustic power emissions: 64.48(A) (driaft printing at 20 ppm) Acoustic pressure emissions: 64.48(A) (driaft printing at 20 ppm) Power supply type: Internal (Built-in) Universal Power Supply; Power :	Yes 128 MB/600 MHz 128 MB/600 MHz Up to 30,000 pages; Recommended monthly page volume: <sup>5</sup> 250 to 1,500 page 0-sheet input tray; Optional 250-sheet input tray for 8610/8620, included for 86 150-sheet output tray sentation Paper, Matte, Other Inkjet Papers, Card Stock, HP Premium Plus Photo pages, Other Greeting Cards, HP Brochure Paper 180g, Glossy, HP Brochure and F Paper, Glossy, Other brochure papers, Plain hagaki, Inkjet hagaki, Photo hagaki 16 to 28 lb (plain paper); 60 to 75 lb (photo); 20 to 24 lb (envelope); 90 to 110 Tray 1: 3 x 5 to 8.5 x 14 in (76.2 x 127 to 215.9 x 355.6 mm) 9.7 x 18.5 x 12.4 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 12.4 in with duplexer installed, output tray folded up; 19.7 x 18.5 x 12.4 in with duplexer installed, output tray folded up; 00 pages); power cord; Phone cord; Setup poster; Getting Started Guide; CD-ROMs 00 Pro 6630; Plus 250-sheet input tray, and second set of color ink cartridge rearmany; 24-hour, 7 days a week Web support; business hour phone suppor Windows XP (SP3)* or higher (32-bit and 64-bit), Windows XD (32-bit) (Prof x 23-bit and 64-bit), SP1 and SP2) (Standard Edition, Enterprise Edit x 2008 Server 120-bit and 64-bit), Windows XD (32-bit) (Prof x 24-bit and 64-bit), SP1 and SP2) (Standard Edition, Enterprise Edit x 2008 Server 2008 Terminal Services, Windows XD (32-bit and x 2008 Server 2008 Terminal Services, Windows SC03 Server 132-bit and x 2008 Server 2008 Terminal Services, Windows SC03 Server 32-bit and x 2008 Server 2008 Terminal Services, Windows SC03 Server 32-bit and x 2008 Mountain Lion, OS X v 10.9 Mavericks: 1 GB available hard disk space, Intermet Explore; C -ROM/DVD or Internet, USB; Windows Z 4, Storage Temperature: Sp to 90° F (15 to 32° C); Non-operating humidity rr 34; Storage Temperature Range: -40 to 60° C (-40 to 140° F); Recommended o ENERGY STAR® qualified	<ul> <li>isa0</li> <li>Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, Iyer Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure b (card)</li> <li>iset</li> <li>19.7 x 18.5 x 15.7 in with duplexer and second 250-sheet paper tray installed, output tray folded up; Max: 19.7 x 25.5 x 15.7 in with duplexer and second 250-sheet paper tray installed, output tray folded up; Max: 19.7 x 25.5 x 15.7 in with duplexer and second 250-sheet paper tray installed, output tray folded up; Max: 19.7 x 25.5 x 15.7 in with duplexer and second 250-sheet paper tray installed, output tray folded up a 35.0 il b with duplexer and second 250-sheet paper tray an Officejet Ink Cartridge; HP 951 Setup Magenta Officejet Ink Cartridge; for software, Windows and Mac printer drivers, and User's Guide).</li> <li>t within warranty period</li> <li>6, v 10.7, v 10.8 or v 10.9; Linux (For more information,</li> <li>essional and Home Editions); Mac 05 X v 10.6, v 10.7, v 10.8 or v 10.9; Linux d 64-bit, Standard Edition, Enterprise Edition),</li> <li>an Server 5.6, Xen Desktop 5.5, Cluster Support, Windows 2003 Server 1itrix Presentation Server 4.0, Windows 2003 Server Terminal Services with exist Mart Adsk space, Internet Explorer 6, CD-ROM/DVD or Internet, USB; neterent connection; CD-ROM drive; USB</li> <li>ange: Up to 90% RH (non-condensing) at a temperature of 60° C (140° F); perating humidity range: 25 to 75% RH</li> <li>5.9 B(A) (printing at 22 ppm)</li> <li>IdB(A) (draft printing at 22 ppm)</li> </ul>		
Wireless capability Wemory/Processor speed Duty cycle (monthly)* Paper handling Input Output Media type Media type Media sizes custom ADF capacity Dimensions (W x D x H) Weight What's in the box <sup>4</sup> Warranty features Compatible network operating systems Compatible network operating Systems Environmental ranges Energy efficiency compliance Acoustic Power	250 Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Pre HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty pa Tray 1: 35-sheets 19.7 x 18.5 x 11.8 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray extended to Legal 26.24 lb with duplexer HP Officejet Pro e-AlL-in-One Printer; Automatic two-sided printing acce HP 951 Setup Yellow Officejet Ink Cartridge: composite yield (~70 One-year limited hardwa Windows 8.1, Windows 8, Windows 7, Windows Vista, V Windows 8.1, 32-bit and 64-bit), Windows 8 (32-bit and 64-bit), Windows 7 (For more information, see <u>hplipopensource com/hplip-web/index.html</u> ). Op Server 8, 20:2-bit and 64-bit), Windows 8 (32-bit and 64-bit), Windows 7 (For More information, see <u>hplipopensource com/hplip-web/index.html</u> ). Op Server 8, 20:2-bit and 54-bit), Standard Editon, Hurdrows Editon, Windows 52 (Britr Mets, Server 201). Operating System Support (Print driver only): Novell Terminal Services, Windows 2003 Server Terminal Services with Citrix Mets (Dirk Mets, Cartody Com/DVD or Internet, USB, Windows XP 593 (3) Mac. Mac OS X v 10.6, OS X v 10.7, Lon, Operating temperature range: 41 to 104° F (5 to 40° C), Recommended Operating humidity range: 20 to 80% F Acoustic power emissions: 64.48(A) (driaft printing at 20 ppm) Acoustic pressure emissions: 64.48(A) (driaft printing at 20 ppm) Power supply type: Internal (Built-in) Universal Power Supply; Power :	Yes 128 MB/600 MHz 128 MB/600 MHz Jp to 30,000 pages; Recommended monthly page volume:* 250 to 1,500 page 0-sheet input tray; Optional 250-sheet input tray for 8610/8620, included for 86 150-sheet output tray sentation Paper, Mate, Other Inkjet Papers, Card Stock, HP Premium Plus Photo pers, Other Greeting Cards, HP Brochure Paper 180g, Glossy, HP Brochure and F Paper, Glossy, Other brochure papers, Plain hagaki, Inkjet hagaki, Photo hagaki 16 to 28 lb (dnian paper); 60 to 75 lb (photo); 20 to 24 lb (envelope); 90 to 1101 Tray 1: 3 x 5 to 8.5 x 14 in (76.2 x 127 to 215.9 x 355.6 mm) 9.7 x 18.5 x 12.4 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 12.4 in with duplexer installed, output tray tray extended to Legal UP 0 8630; Plus 250-sheet input tray, and second set of color ink cartridge: 2.8.62 lb with duplexer ssory; HP 950 Setup Black Officejet Ink Cartridge (~1,000 pages); HP 951 Setup (0 0 pages); power cord; Phone cord; Setup postr; Getting Started Guide; CD-ROMs UP 0 8630; Plus 250-sheet input tray, and second set of color ink cartridges are warranty; 24-hour, 7 days a week Web support; business hour phone suppor Windows XP (SP3)* or higher (32-bit and 64-bit), Windows XP (32-bit) (Profi se2008 Server (32-bit and 64-bit), SP1 and SP2) (Standard Edition, Enterprise Edit Netware 6, 65, Open Enterprise Server C5, Novell Pinint, Citrix, Citrix XenAps 6.6 aframe XP with Feature Release 3, Windows 2003 Server (32-bit and 40-4-bit), Windows Vista (32-bit and 64-bit), SP1 and SP2) (Standard Edition, Enterprise Edit Netware 7008 Terminal Services, Windows 2008 Terminal Services islable hard disk space, Internet Explorer, CD-R0M/DVD or Internet, USB; Windows V 2-bit only). Intel® Penting Services (32-bit) and 64-bit), SP1 and SP2) (Standard Edition, Enterprise Edit islable hard disk space, Internet Explorer, CD-R0M/DVD or Internet, USB; Windows V 2-bit only). Intel® Penting Services Windows 2003 Server (32-bit d operating temperature: S910 90° F (15 to 32° 0; Non-operating humidity ro 2+bit	<ul> <li>530</li> <li>Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, Iyer Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure Days, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure Days, Tay, 18, 5 × 15.7 in with duplexer and second 250-sheet paper tray installed, output tray folded up; Max: 19.7 × 25.5 × 15.7 in with duplexer and second 250-sheet paper tray and Officiept Ink Cartridge; HP 951 Setup Magenta Officejet Ink Cartridge; for software, Windows and Mac printer drivers, and User's Guide).</li> <li>t within warranty period</li> <li>6, v 10.7, v 10.8 or v 10.9; Linux (For more information,</li> <li>essional and Home Editions); Mac OS X v 10.6, v 10.7, v 10.8 or v 10.9; Linux d 64-bit, SP1 and SP2) (Standard Edition, Enterprise Edition), Windows 2003 Server 1600 Server 1600 Server 1600 Server 1600 Server Terminal Services with Citrix Presentation Server A0, Windows 2003 Server Terminal Services with Service May Dista 100 MP 23-Dit (x60 Processor, 2 GB available hard disk space, Internet Explorer 6, CD-ROM/DVD or Internet, USB, nage: Up to 90% RH (non-condensing) at a temperature of 60° C (140° F); perating humidity range: 25 to 75% RH</li> <li>6.9 B(A) (printing at 22 ppm)</li> <li>nsumption: 45 watts (Maximum), 0.15 watts (Manual-Off), 6.80 watts f/M Week (for B620/2653 only)</li> </ul>		
Wireless capability Memory/Processor speed Duty cycle (monthly)* Paper handling Input Output Output Media type Media sizes custom ADF capacity Dimensions (W x D x H) Weight What's in the box* Warranty features Compatible operating systems Compatible network operating	250 Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Pre HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty pa 35-sheets 19.7 x 18.5 x 11.8 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray folded up; Max: 19.7 x 25.5 x 11.8 in with duplexer installed, output tray extended to Legal 26.24 lb with duplexer installed, output tray folded up; HP Officejet Pro e-AlL-in-One Printer; Automatic two-sided printing acce HP 951 Setup Vellow Officejet Ink Cartridge: composite yield (~70 0ne-year limited hardwa Windows 8.1 (32-bit and 64-bit), Windows 8, Windows 7, Windows Visa, V Windows 8.1 (32-bit and 64-bit), Windows 8, 32-bit and 64-bit), Windows 7, Windows 203 Server Zornal Services with Citrix Mex Pt: Windows 7, 8, 8.1:1 GHz 32-bit (x46) processor, 26 Bax space, Internet Explorer, CD-R0M/DVD or Internet, USB; Windows SP 36, Derating temperature range: 41 to 104° F (5 to 40° C); Recommende Operating temperature range: 41 to 104° F (5 to 40° C); Recommende Operating humidity range: 20 to 80% F Acoustic power emissions: 64 dB(A) (draft printing at 20 ppm) Acoustic power emissions: 64 dB(A) (draft printing at 20 ppm) Power supply type: Internal (Built-in) Universal Power Supply; Power (Standby), 2.0 watts (Sleep)	Yes 128 MB/600 MHz 128 MB/600 MHz Jp to 30,000 pages; Recommended monthly page volume: <sup>5</sup> 250 to 1,500 page 0-sheet input tray; Optional 250-sheet input tray for 8610/8620, included for 86 150-sheet output tray sentation Paper, Mate, Other Inkjet Papers, Card Stock, HP Premium Plus Photo ippers, Other Greeting Cards, HP Brochure Paper 180g, Glossy, HP Brochure and F Paper, Glossy, Other brochure papers, Plain hagaki, Inkjet hagaki, Photo hagaki 16 to 28 lb (plain paper); 60 to 75 lb (photo); 20 to 24 lb (envelope); 90 to 110 Tray 1: 3 × 5 to 8.5 × 14 in (76.2 × 127 to 215.9 × 355.6 mm) 90-91 Tray 1: 3 × 5 to 8.5 × 14 in (76.2 × 127 to 215.9 × 355.6 mm) 91.7 × 18.5 × 12.4 in with duplexer installed, output tray folded up; Max: 19.7 × 25.5 × 12.4 in with duplexer installed, output tray extended to Legal 28.62 lb with duplexer ssory; HP 950 Setup Black Officejet Ink Cartridge (~1,000 pages); HP 951 Setup (y 0 pages); power cord; Phone cord; Setup poster; Getting Started Guide; CD-ROMs 00 Pro 8630; Plus 250-sheet input tray, and second set of color ink cartridges are warranty; 24-hour, 7 days a week Web support; business hour phone suppor Windows XP (SP3)* or higher (32-bit and 64-bit), Windows V203 Server (32-bit and s 2008 Server 122-bit and 64-bit, SP1 and SP2) (Standard Edition, Entreprise Editor, s 2008 Server 2008 Terminal Services, Windows 2003 Server (32-bit and s 2008 Server 2008 Terminal Services, Windows 2003 Server (32-bit and s 2008 Server 2008 Terminal Services, Windows 2003 Server (32-bit and s 20008 Server 2008 Terminal Services, Windows 2003 Server (32-bit and s 20008 Server 2008 Terminal Services, Windows 2003 Server (32-bit and s 2008 Server 2008 Terminal Services, Windows 2003 Server 32-bit only; s Windows Server 2008 Terminal Services, Windows 2003 Server 32-bit and s 2008 Terminal Services, Windows 2008 T	<ul> <li>530</li> <li>Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, Iyer Paper, Matte, HP Tri-fold Brochure Day (Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure Day (Matter, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure Day (Matter, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure Day (Matter, HP Tri-fold Brochure Paper, Matter, HP Tri-fold Brochure Day (Matter, HP Tri-fold Beyle, HP Tri-fold Beyle, Utter, Soulde), Utter, Sould Scover, Bayer, HP S1 Setup Magenta Officiejet Ink Cartridge, for software, Windows and Mac printer drivers, and User's Guide).</li> <li>t within warranty period</li> <li>6, v 10.7, v 10.8 or v 10.9; Linux (For more information,</li> <li>essional and Home Editions); Mac OS X v 10.6, v 10.7, v 10.8 or v 10.9; Linux d 64-bit, SP1 and SP2) (Standard Edition, Enterprise Edition), Windows 2008 Server 126 (G4-bit) (Standard Edition, Enterprise Edition), A Sen Server 4.0, Windows 2003 Server Terminal Services with Citrix RenApp Isits 2000 Merz 2016 Server 1200 Merz) USB mage: Up to 90% RH (non-condensing) at a temperature of 60° C (140° F); perating humidity range: 25 to 75% RH</li> <li>6.9 (A) (printing at 22 ppm)</li> <li>nesumption: 48 E00 Maximum), 0.15 watts (Manual-Off), 6.80 watts fn/Week (for B620/8630 only)</li> </ul>		

<sup>1</sup> After first page; see <u>bacom/golinkietprinter</u> for details. Print speed may vary depending on the type of output. <sup>2</sup> Local printing requires mobile device and printer to be on the same network. Wireless performance is dependent upon physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP-web-connected printer and HP ePrint registration may also be required. Wireless breadband use requires so internet connection to an HP-web-connected printer and HP ePrint registration may also be required. Wireless breadband use requires so internet connection to an HP-web-connected printer and HP ePrint registration may also be required. Wireless breadband use requires to the contract of mobile devices. Check with service provider for coverage and availability in your area. See <u>baccom/go/mobileprinting</u> for more details. <sup>5</sup> Speed specifications have been updated to theck with service performance, based on factors including supplies replacement intervals and device life over an extended warranty period. <sup>6</sup> Average based on fSO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. Some in Kindwe cartridge is used to start up the printer. For details see <u>baccom/go/mobileprinting</u>. <sup>8</sup> Acoustic values are subject to change. For current information see <u>baccom/go/mobileprinting</u>. <sup>4</sup> Power measurements are based on ENERGY STAR\*® ON test procedure with 20 AC, 50 Hz input.

## To learn more, visit <u>hp.com</u>

© Copyright 2014-2015 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. Intel, Celeron and Pentium are trademarks of Intel Corporation in the U.S. and other countries.

